

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

---

## SECTION 1: Identification of the substance/mixture and company/undertaking

<b>1.1 Product identifier</b>	<b>Mitre Glue</b>
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	Component of two-part adhesive. Uses advised against: not available.
<b>1.3 Details of the supplier of the safety data sheet</b>	Elita Labs Ltd., 11 Nuthatch Lane, Hassock, West Sussex, BN6 9LB, UK Elitalabs@outlook.com; Tel. +44 7751 024685.
<b>1.4 Emergency telephone number</b>	Tel. +44 7751 024685 (UK business hours).  UK: 111 (public NHS number for less urgent medical problems). Medical professionals can contact the National Poisons Information Service (NPIS): 0344 892 0111.

---

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

Classification according to CLP Regulation: UK SI 2019 No. 720 and EU Regulation 1272/2008.

Skin Irrit 2, H315; Eye Irrit 2, H319; STOT SE 3, H335.

See Section 16 'Other information' for full text of the H-statements.

### 2.2 Label elements



Signal word	Warning
Hazard statements	Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation.
Precautionary statements	
general	Keep out of reach of children.
prevention	Avoid breathing vapours. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection.
response	If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. If eye irritation persists: Get medical attention.
storage	None.
disposal	Dispose of contents/container in accordance with local/national regulation.

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

Supplemental information                      None.

**2.3 Other hazards**                      Not available.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures <sup>a,b</sup>

Declarable components	Conc. (wt%)	EC No.	CAS No.	REACH Reg. No.	Classification, supplemental hazards, ATE, M-factor, and SCL
Polyester resin <sup>c</sup>	25–50	NA	32677-47-7	NA	Skin Irrit 2, H315; Eye Irrit 2, H319; STOT SE 3, H335
<i>Other components</i>					
Not available					

<sup>a</sup> NA: not available.

<sup>b</sup> See Section 16 'Other information' for full text of the H-statements.

<sup>c</sup> Chemical name: furan-2,5-dione compound with propane-1,2-diol and 3a,4,7,7a-tetrahydro-1H-4,7-methanoindene (1:1:1).

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Inhalation	If inhalation of product is suspected of causing symptoms, remove exposed person to fresh air and keep at rest in a position comfortable for breathing. For difficulties in breathing, respiratory irritation, or other symptoms, get medical attention.
Skin	For signs of irritation or rash, wash affected area with soap and water. Get medical attention if symptoms persist.
Eye	If in eye, rinse with room-temperature water or eyewash solution for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation persists.
Ingestion	If in mouth, rinse out with water. Give water to drink if the product has been swallowed. Get medical attention if exposed person feels unwell. Do not induce vomiting, unless instructed by medical personnel.

**4.2 Most important symptoms and effects, both acute and delayed** Causes skin irritation and serious eye irritation. Vapours may cause respiratory irritation.

**4.3 Indication of any immediate medical attention and special treatment needed** Treat symptoms as they occur.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

---

Suitable	Water spray, alcohol-resistant foam, carbon dioxide, or dry powder.
Unsuitable	Water jet may spread fire.
<b>5.2 Special hazards arising from the substance or mixture</b>	The product is not classified as flammable. If involved in a fire, product will decompose producing hazardous smoke, vapours and gases.
<b>5.3 Advice for firefighters</b>	Remove product from fire or cool containers with water spray. Firefighters should wear self-contained breathing apparatus and full protective clothing. Prevent water from firefighting from entering water-courses or drainage system.

---

## Section 6: Accidental release measures

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Product is supplied in small packages (typically 1 L tins) which can be collected if intact. For large spills of product in a professional setting, wear personal protection. Extinguish sources of ignition. Follow prescribed procedures for responding to workplace spills.
<b>6.2 Environmental precautions</b>	Prevent product from entering water courses or drainage system.
<b>6.3 Methods and material for containment and cleaning up</b>	Clean up spill as soon as possible. For small quantities, collect product or wipe off residue with cloth or paper. For larger quantities, absorb onto an inert material (eg sand), and sweep up. Rinse contaminated surfaces with soap and water. Collect waste, washings, and contaminated materials for safe disposal.
<b>6.4 Reference to other sections</b>	For recommended personal protective equipment, see Section 8. For disposal considerations, see Section 13.

---

## SECTION 7: Handling and storage

<b>7.1 Precautions for safe handling</b>	Keep out of reach of children. Avoid skin and eye contact with the product. Avoid breathing vapours. Use only outdoors or in a well-ventilated area. See measures described in Section 8. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Keep away from sources of ignition.
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	Keep container closed. Store containers in a cool, well-ventilated place away from direct sunlight. Store locked up.
<b>7.3 Specific end use(s)</b>	Component of two-part adhesive.

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

EU limit values	None.
National limit values (UK)	Talc, respirable dust: WEL: 8 h TWA, 1 mg/m <sup>3</sup> . Titanium dioxide: WEL: 8 h TWA, 10 mg/m <sup>3</sup> (total inhalable); 4 mg/m <sup>3</sup> (total respirable).
Monitoring procedure	Not available.
Other: human health (DNELs, DMELs)	Not available.
Other: environmental (PNEC)	Not available.

## 8.2 Exposure controls

Engineering controls	For workplace use, good general ventilation (eg 3 to 5 air exchanges per hour) is recommended.
Personal protective equipment	For handling in the workplace, the need for personal protective equipment should be based on a risk assessment for the particular use. Avoid skin contact by wearing chemical resistant gloves (eg nitrile, 0.2 mm) and safety goggles. If extensive contact may occur, wear protective clothing (eg apron, overalls). Respiratory protective equipment not required for foreseen use. PPE should conform to GB or European (EN) standards. Consult manufacturer concerning breakthrough times.
Environmental exposure controls	Not available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

(a) Physical state	Viscous liquid (paste)
(b) Colour	White
(c) Odour	Characteristic
(d) Melting/freezing point	Not available
(e) Boiling point or initial boiling point and boiling range	Not available
(f) Flammability	Not available
(g) Lower and upper explosion limit	Not available
(h) Flash point	> 150 °C
(i) Auto-ignition temp.	Not available
(j) Decomposition temp.	Not available
(k) pH	Not available
(l) Kinematic viscosity	150 000 cps at 25 °C

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

---

(m) Solubility	Water: insoluble; resin partially soluble in organic solvents
(n) Partition coeff. n-octanol/water (log value)	Not available
(o) Vapour pressure	Not available
(p) Density or rel. density	1.1 to 1.2 g/cm <sup>3</sup>
(q) Relative vapour density	Not available
(r) Particle characteristics	Not available
<b>9.2 Other information</b>	Not considered explosive or oxidising

---

## SECTION 10: Stability and reactivity

<b>10.1 Reactivity</b>	Not available.
<b>10.2 Chemical stability</b>	Stable under recommended storage and handling conditions. No hazardous polymerization.
<b>10.3 Possibility of hazardous reactions</b>	Not available.
<b>10.4 Conditions to avoid</b>	High temperatures, or direct sunlight.
<b>10.5 Incompatible materials</b>	Strong acids, alkalis, and oxidising agents.
<b>10.6 Hazardous decomposition products</b>	Not available.

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

(a) Acute toxicity	Based on available data on the ingredients, the classification criteria are not met.
(b) Skin corrosion/irritation	Based on available data on the ingredients, the classification criteria are met for Category 2 (causes skin irritation).
(c) Serious eye damage/irritation	Based on available data on the ingredients, the classification criteria are met for Category 2 (causes serious eye irritation).
(d) Respiratory or skin sensitisation	Respiratory sensitisation: no relevant ingredient has been classified for this effect. Dermal sensitisation: based on available data, the classification criteria are not met. Polyester resin: data lacking.
(e) Germ cell mutagenicity	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(f) Carcinogenicity	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
(g) Reproductive toxicity	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

---

(h) STOT-single exposure	Based on available, the classification criteria are met for Category 3 (may cause respiratory irritation).
(i) STOT-repeated exposure	Based on available data, the classification criteria are not met. Polyester resin: data lacking.
(j) Aspiration hazard	Based on available data, the classification criteria are not met. No relevant ingredient has been classified for this effect.
11.2 Information on other hazards	Not available.

---

## SECTION 12: Ecological information

12.1 Toxicity	Based on available data, the classification criteria are not met. Polyester resin: data lacking.
12.2 Persistence and degradability	Mixture contains resin with inorganic fillers. Polyester resin: data lacking.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.
12.5 Results of PBT and vPvB assessment	No ingredients have been identified as PBT or vPvB.
12.6 Endocrine disrupting properties	No ingredients have been identified as an endocrine disruptor.
12.7 Other adverse effects	The mixture is not classified as hazardous to the ozone layer.

---

## SECTION 13: Disposal considerations

13.1 Waste treatment methods	Incineration or landfill is recommended for this product. Disposal via the drains is not recommended. Chemical residues generally count as special waste. General EU requirements are given in Directive 2008/98/EC and GB equivalent. Dispose of contents/container to incineration in accordance with local/national regulation.
------------------------------	--

---

## SECTION 14: Transport information

14.1 UN Number	Not classified as dangerous goods for transport.
14.2 UN proper shipping name	Not applicable.
14.3 Transport hazard class(es)	Not applicable.
14.4 Packing group	Not applicable.
14.5 Environmental hazards	Not classified as marine pollutant/environmentally hazardous.

# SAFETY DATA SHEET

Revision: 31 March 2023

Version number: 1.0

---

**14.6 Special precautions for user** Not available.

**14.7 Maritime transport in bulk according to IMO instruments** Not applicable.

---

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** *UK:* Control of Substances Hazardous to Health Regulations 2002 (COSHH), as amended.  
COSHH Essentials: Easy Steps to Control Chemicals; HSE Books 2003 (also available on the HSE web site).  
Workplace Exposure Limits EH40/2005 (Second edition, published 2011), Health and Safety Executive.

**15.2 Chemical safety assessment** Not available.

---

## SECTION 16: Other information

**Revisions** This SDS is the first version in EU format (Regulation 2020/878), using classification according to the CLP Regulation, or GB equivalent.

**Abbreviations** DMEL, derived minimum effect level; DNEL, derived no-effect level; EC, effect concentration; PBT, persistent, bioaccumulative, and toxic; PNEC, predicted no-effect concentration; STOT RE, specific target organ toxicity, repeated exposure; STOT SE, specific target organ toxicity, single exposure; TWA, time-weighted average; vPvB, very persistent, very bioaccumulative; WEL, UK workplace exposure limit.

**References** Search for chemicals; available at the European Chemicals Agency (ECHA) website: <http://echa.europa.eu/>.

**Basis of classification** The classification of the mixture has been assessed according to the criteria given in Regulation 1272/2008 or GB equivalent on the basis of available information on the ingredients.

**List of hazard statements** H315: Causes skin irritation; H319: Causes serious eye irritation; H335: May cause respiratory irritation.